

1/10





FIG. 1
PRIOR ART

FIS9-2004-0095-US1
REDBURN

2/10

```
select distinct partnumber, count(*) as total
from ayleweb.plyopers
group by partnumber
```

FIG. 2A
PRIOR ART



PARTNUMBER	TOTAL
66P3399	64
66P7319	59
76P5362	30
76P5427	34

FIG. 2B
PRIOR ART

3/10

```

select xvar, yvar from schema.table
plot as <charttype> var <column> on xaxis as '<label>',
    {<column> on yaxis as '<label>',...}
{title = '<titletext>'}{title2 = '<titletext>'}
{footnote1 = '<footertext>'}{footnote2 = '<footertext>'}
{file = '<filename>'}{imagetype = '<imagetype>'}
{ysize = <size>}{ysize = <size>}
legend [none|right|left|bottom]}

```

FIG. 3

4/10

```
51 { select distinct partnumber, count(*) as total
    { from ayleweb.plyopers
      { group by partnumber
52 { plot as vbar var partnumber on xaxis as 'partnumber',
    { total on yaxis as 'total'
    { title1 = 'total plyopers by partnumber'
    { footnotel = 'robert redburn'
```

FIG. 4A




FIG. 4B

F159-2004-0095-US1
 REDBURN

5/10




Fig. 4C

6/10

61—select distinct (chip/100) as chipx,
 chip-((chip/100)*100) as chipy, (chip/100) as chipx2,
 30-(chip/100)*2 as chipy2
 from ayleweb.aprcsegmentdata
 where wafer = 'HJDGP0G'

62—plot as scatter var chipx on xaxis as 'chip x',
 chipy on y1axis as 'chip y',
 chipx2 on y2axis as 'y2chip'
 title1 = 'random chip coordinates'
 title2 = 'second title'
 footnote1 = 'robert redburn'
 xsize = 600 ysize = 450

FIG. 5A




FIG. 5B

7/10




FIG. 6

8/10




FIG. 7A




FIG. 8A

9/10




FIG. 7B




FIG. 8B